

## Bibliografía

1. Lee IM, Paffenbarger RS, Jr., Hennekens CH. Physical activity, physical fitness and longevity. *Aging (Milano)* 1997, 9:2-11.
2. Paffenbarger RS, Jr., Hyde RT, Wing AL, Hsieh CC. Physical activity, all-cause mortality, and longevity of college alumni. *N Engl J Med* 1986, 314:605-613.
3. World Health Organization: *Reducing risks, promoting healthy life. World Health Report 2002*. In: 2002; Geneva: World Health Organization; 2002.
4. Powell KE, Blair SN. The public health burdens of sedentary living habits: theoretical but realistic estimates. *Med Sci Sports Exerc* 1994, 26:851-856.
5. Warburton DE, Nicol CW, Bredin SS. Health benefits of physical activity: the evidence. *CMAJ* 2006, 174:801-809.
6. Speiser PW, Rudolf MC, Anhalt H, Camacho-Hubner C, Chiarelli F, Eliakim A, Freedman M, Gruters A, Hershkovitz E, Iughetti L et al. Childhood obesity. *J Clin Endocrinol Metab* 2005, 90:1871-1887.
7. Livingstone MB. Childhood obesity in Europe: a growing concern. *Public Health Nutr* 2001, 4:109-116.
8. Karvonen MJ, Kentala E, Mustala O. The effects of training on heart rate; a longitudinal study. *Ann Med Exp Biol Fenn* 1957, 35:307-315.
9. American College of Sports Medicine Position Stand. The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness, and flexibility in healthy adults. *Med Sci Sports Exerc* 1998, 30:975-991.
10. Ainsworth BE, Haskell WL, Whitt MC, Irwin ML, Swartz AM, Strath SJ, O'Brien WL, Bassett DR, Jr., Schmitz KH, Emplaincourt PO et al. Compendium of physical activities: an update of activity codes and MET intensities. *Med Sci Sports Exerc* 2000, 32:S498-504.
11. Lee IM, Skerrett PJ. Physical activity and all-cause mortality: what is the dose-response relation? *Med Sci Sports Exerc* 2001, 33:S459-471; discussion S493-454.

12. Pate RR. Physical activity and health: dose-response issues. *Res Q Exerc Sport* 1995, 66:313-317.
13. Lee IM, Sesso HD, Oguma Y, Paffenbarger RS, Jr. Relative intensity of physical activity and risk of coronary heart disease. *Circulation* 2003, 107:1110-1116.
14. Lee IM, Hsieh CC, Paffenbarger RS, Jr. Exercise intensity and longevity in men. The Harvard Alumni Health Study. *Jama* 1995, 273:1179-1184.
15. Lee IM, Paffenbarger RS, Jr. Associations of light, moderate, and vigorous intensity physical activity with longevity. The Harvard Alumni Health Study. *Am J Epidemiol* 2000, 151:293-299.
16. Paffenbarger RS, Jr., Lee IM. Intensity of physical activity related to incidence of hypertension and all-cause mortality: an epidemiological view. *Blood Press Monit* 1997, 2:115-123.
17. Goran MI, Treuth MS. Energy expenditure, physical activity, and obesity in children. *Pediatr Clin North Am* 2001, 48:931-953.
18. Wells JC, Ritz P. Physical activity at 9-12 months and fatness at 2 years of age. *Am J Hum Biol* 2001, 13:384-389.
19. Andersen RE, Crespo CJ, Bartlett SJ, Cheskin LJ, Pratt M. Relationship of physical activity and television watching with body weight and level of fatness among children: results from the Third National Health and Nutrition Examination Survey. *Jama* 1998, 279:938-942.
20. Gortmaker SL, Must A, Sobol AM, Peterson K, Colditz GA, Dietz WH. Television viewing as a cause of increasing obesity among children in the United States, 1986-1990. *Arch Pediatr Adolesc Med* 1996, 150:356-362.
21. Steptoe A, Butler N. Sports participation and emotional wellbeing in adolescents. *Lancet* 1996, 347:1789-1792.
22. Sibley BA, Etnier JL. The relationship between physical activity and cognition in children: a meta-analysis. *Pediatric Exercise Science* 2003, 15:243-256.
23. Boreham C, Riddoch C. The physical activity, fitness and health of children. *J Sports Sci* 2001, 19:915-929.
24. Wedderkopp N, Froberg K, Hansen HS, Riddoch CJ, Andersen L-B. Cardiovascular risk factors cluster in children and adolescents with low physical fitness: The European Youth Heart Study (EYHS). *Pediatric Exercise Science* 2003, 15:419-427.
25. Type 2 diabetes in children and adolescents. American Diabetes Association. *Pediatrics* 2000, 105:671-680.
26. Serdula MK, Ivery D, Coates RJ, Freedman DS, Williamson DF, Byers T. Do obese children become obese adults? A review of the literature. *Prev Med* 1993, 22:167-177.

27. Boreham C, Twisk J, Neville C, Savage M, Murray L, Gallagher A. Associations between physical fitness and activity patterns during adolescence and cardiovascular risk factors in young adulthood: the Northern Ireland Young Hearts Project. *Int J Sports Med* 2002, 23 Suppl 1:S22-26.
28. Bass SL. The prepubertal years: a uniquely opportune stage of growth when the skeleton is most responsive to exercise? *Sports Med* 2000, 30:73-78.
29. Telama R, Yang X, Viikari J, Valimaki I, Wanne O, Raitakari O. Physical activity from childhood to adulthood: a 21-year tracking study. *Am J Prev Med* 2005, 28:267-273.
30. Janz KF, Dawson JD, Mahoney LT. Tracking physical fitness and physical activity from childhood to adolescence: the muscatine study. *Med Sci Sports Exerc* 2000, 32:1250-1257.
31. Malina RM. Tracking of physical activity and physical fitness across the lifespan. *Res Q Exerc Sport* 1996, 67:S48-57.
32. Trudeau F, Laurencelle L, Shephard RJ. Tracking of physical activity from childhood to adulthood. *Med Sci Sports Exerc* 2004, 36:1937-1943.
33. Taylor WC, Blair SN, Cummings SS, Wun CC, Malina RM. Childhood and adolescent physical activity patterns and adult physical activity. *Med Sci Sports Exerc* 1999, 31:118-123.
34. Lasheras L, Aznar S, Merino B, Lopez EG. Factors associated with physical activity among Spanish youth through the National Health Survey. *Prev Med* 2001, 32:455-464.
35. Currie C, Roberts CH, Morgan A, Smith R, Settertobulte W, Samdal O, Rasmussen VB: *Young People's Health in Context. Health Behaviour in School-aged Children (HBSC) study: international Report from the 2001/2002 survey*. Copenhagen: World Health Organization; 2004.
36. Ortega FB, Ruiz JR, Castillo MJ, Moreno LA, Gonzalez-Gross M, Warnberg J, Gutierrez A. [Low level of physical fitness in Spanish adolescents. Relevance for future cardiovascular health (AVENA study)]. *Rev Esp Cardiol* 2005, 58:898-909.
37. Martinez-Gonzalez MA, Varo JJ, Santos JL, De Irala J, Gibney M, Kearney J, Martinez JA. Prevalence of physical activity during leisure time in the European Union. *Med Sci Sports Exerc* 2001, 33:1142-1146.
38. Varo Cenarruzabeitia JJ, Martinez Gonzalez MA, Sanchez-Villegas A, Martinez Hernandez JA, de Irala Estevez J, Gibney MJ. [Attitudes and practices regarding physical activity: situation in Spain with respect to the rest of Europe]. *Aten Primaria* 2003, 31:77-84; discussion 84-76.
39. Egger G, Swinburn B. An "ecological" approach to the obesity pandemic. *Bmj* 1997, 315:477-480.
40. Lobstein T, Baur L, Uauy R. Obesity in children and young people: a crisis in public health. *Obes Rev* 2004, 5 Suppl 1:4-104.

41. Janssen I, Katzmarzyk PT, Boyce WF, Vereecken C, Mulvihill C, Roberts C, Currie C, Pickett W. Comparison of overweight and obesity prevalence in school-aged youth from 34 countries and their relationships with physical activity and dietary patterns. *Obes Rev* 2005, 6:123-132.
42. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a standard definition for child overweight and obesity worldwide: international survey. *Bmj* 2000, 320:1240-1243.
43. Flodmark CE, Lissau I, Moreno LA, Pietrobelli A, Widhalm K. New insights into the field of children and adolescents' obesity: the European perspective. *Int J Obes Relat Metab Disord* 2004, 28:1189-1196.
44. Dietz WH. Health consequences of obesity in youth: childhood predictors of adult disease. *Pediatrics* 1998, 101:518-525.
45. Rosenbaum M, Leibel RL. Pathophysiology of childhood obesity. *Adv Pediatr* 1988, 35:73-137.
46. Tounian P, Aggoun Y, Dubern B, Varille V, Guy-Grand B, Sidi D, Girardet JP, Bonnet D. Presence of increased stiffness of the common carotid artery and endothelial dysfunction in severely obese children: a prospective study. *Lancet* 2001, 358:1400-1404.
47. Daniels SR, Morrison JA, Sprecher DL, Khoury P, Kimball TR. Association of body fat distribution and cardiovascular risk factors in children and adolescents. *Circulation* 1999, 99:541-545.
48. Moreno LA, Sarria A, Fleta J, Marcos A, Bueno M. Secular trends in waist circumference in Spanish adolescents, 1995 to 2000-02. *Arch Dis Child* 2005, 90:818-819.
49. Moreno LA, Fleta J, Sarria A, Rodriguez G, Gil C, Bueno M. Secular changes in body fat patterning in children and adolescents of Zaragoza (Spain), 1980-1995. *Int J Obes Relat Metab Disord* 2001, 25:1656-1660.
50. Aranceta J, Perez Rodrigo C, Serra Majem L, Ribas Barba L, Quiles Izquierdo J, Vioque J, Tur Mari J, Mataix Verdu J, Llopis Gonzalez J, Tojo R et al. [Prevalence of obesity in Spain: results of the SEEDO 2000 study]. *Med Clin (Barc)* 2003, 120:608-612.
51. Gutierrez-Fisac JL, Banegas Banegas JR, Artalejo FR, Regidor E. Increasing prevalence of overweight and obesity among Spanish adults, 1987-1997. *Int J Obes Relat Metab Disord* 2000, 24:1677-1682.
52. Serra Majem L, Ribas Barba L, Aranceta Bartrina J, Perez Rodrigo C, Saavedra Santana P, Pena Quintana L. [Childhood and adolescent obesity in Spain. Results of the enKid study (1998-2000)]. *Med Clin (Barc)* 2003, 121:725-732.
53. Moreno LA, Sarria A, Popkin BM. The nutrition transition in Spain: a European Mediterranean country. *Eur J Clin Nutr* 2002, 56:992-1003.
54. Bauman A, Craig CL. The place of physical activity in the WHO Global Strategy on Diet and Physical Activity. *Int J Behav Nutr Phys Act* 2005, 2:10.

55. Washington RL, Bernhardt DT, Gomez J, Johnson MD, Martin TJ, Rowland TW, Small E, LeBlanc C, Krein C, Malina R et al. Organized sports for children and preadolescents. *Pediatrics* 2001; 107:1459-1462.
56. van Mechelen W, Verhagen E. Essay: Injury prevention in young people—time to accept responsibility. *Lancet* 2005; 366 Suppl 1:S46.
57. Cavill NA, Biddle SJ, Sallis JF. Health enhancing physical activity for young people: statement of the UK expert consensus conference. *Pediatr Exerc Sci* 2001; 13: 12-25.
58. Department of Health PA, Health Improvement and Prevention.: *At Least Five a Week: Evidence on the Impact of Physical Activity and its Relationship with Health. A Report from the Chief Medical Officer*. London: Department of Health; 2004.
59. Corbin CB: *Fitness for life physical activity pyramid for teens [poster]*. Champaign, IL: Human Kinetics; 2003.
60. Corbin CB: *Fitness for life physical activity pyramid for children [poster]*. Champaign, IL: Human Kinetics; 2003.
61. Sallis JF. Age-related decline in physical activity: a synthesis of human and animal studies. *Med Sci Sports Exerc* 2000; 32:1598-1600.
62. Sallis JF. Epidemiology of physical activity and fitness in children and adolescents. *Crit Rev Food Sci Nutr* 1993; 33:403-408.
63. Robbins LB, Pender NJ, Kazanis AS. Barriers to physical activity perceived by adolescent girls. *J Midwifery Womens Health* 2003; 48:206-212.
64. O'Dea JA. Why do kids eat healthful food? Perceived benefits of and barriers to healthful eating and physical activity among children and adolescents. *J Am Diet Assoc* 2003; 103:497-501.
65. Sallis JF, Prochaska JJ, Taylor WC. A review of correlates of physical activity of children and adolescents. *Med Sci Sports Exerc* 2000; 32:963-975.
66. Trost SG, Pate RR, Dowda M, Saunders R, Ward DS, Felton G. Gender differences in physical activity and determinants of physical activity in rural fifth grade children. *J Sch Health* 1996; 66:145-150.
67. Tappe MK, Duda JL, Ehrnwald PM. Perceived barriers to exercise among adolescents. *J Sch Health* 1989; 59:153-155.
68. Ministerio de Sanidad y Consumo, Ministerio de Educación y Cultura, Cultura Md: *Actividad Física y Salud: Guía para Padres y Madres*. In.: Ministerio de Educación y Cultura; 1999.
69. Kohl HW, 3rd, Hobbs KE. Development of physical activity behaviors among children and adolescents. *Pediatrics* 1998; 101:549-554.
70. Trost SG, Sallis JF, Pate RR, Freedson PS, Taylor WC, Dowda M. Evaluating a model of parental influence on youth physical activity. *Am J Prev Med* 2003; 25:277-282.

71. Kimiecik JC, Horn TS. Parental beliefs and children's moderate-to-vigorous physical activity. *Res Q Exerc Sport* 1998, 69:163-175.
72. Cleland V, Venn A, Fryer J, Dwyer T, Blizzard L. Parental exercise is associated with Australian children's extracurricular sports participation and cardiorespiratory fitness: A cross-sectional study. *Int J Behav Nutr Phys Act* 2005, 2:3.
73. Moore LL, Lombardi DA, White MJ, Campbell JL, Oliveria SA, Ellison RC. Influence of parents' physical activity levels on activity levels of young children. *J Pediatr* 1991, 118:215-219.
74. Krahnstoever Davison K, Francis LA, Birch LL. Reexamining obesigenic families: parents' obesity-related behaviors predict girls' change in BMI. *Obes Res* 2005, 13:1980-1990.
75. Gustafson SL, Rhodes RE. Parental correlates of physical activity in children and early adolescents. *Sports Med* 2006, 36:79-97.
76. Kalakanis LE, Goldfield GS, Paluch RA, Epstein LH. Parental activity as a determinant of activity level and patterns of activity in obese children. *Res Q Exerc Sport* 2001, 72:202-209.
77. Freedson PS, Evenson S. Familial aggregation in physical activity. *Res Q Exerc Sport* 1991, 62:384-389.
78. Duncan MJ, Spence JC, Mummery WK. Perceived environment and physical activity: a meta-analysis of selected environmental characteristics. *Int J Behav Nutr Phys Act* 2005, 2:11.
79. Garcia Bengoechea E, Spence JC, McGannon KR. Gender differences in perceived environmental correlates of physical activity. *Int J Behav Nutr Phys Act* 2005, 2:12.
80. Gordon-Larsen P, McMurray RG, Popkin BM. Determinants of adolescent physical activity and inactivity patterns. *Pediatrics* 2000, 105:E83.
81. Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE, Stone EJ, Rajab MW, Corso P. The effectiveness of interventions to increase physical activity. A systematic review. *Am J Prev Med* 2002, 22:73-107.
82. Dietz W. Factors associated with childhood obesity. *Nutrition* 1991, 7:290-291.
83. Klesges RC, Eck LH, Hanson CL, Haddock CK, Klesges LM. Effects of obesity, social interactions, and physical environment on physical activity in preschoolers. *Health Psychol* 1990, 9:435-449.
84. Baranowski T, Thompson WO, DuRant RH, Baranowski J, Puhl J. Observations on physical activity in physical locations: age, gender, ethnicity, and month effects. *Res Q Exerc Sport* 1993, 64:1-7.
85. Treiber FA, Baranowski T, Braden DS, Strong WB, Levy M, Knox W. Social support for exercise: relationship to physical activity in young adults. *Prev Med* 1991, 20:737-750.

86. Anderssen N, Wold B. Parental and peer influences on leisure-time physical activity in young adolescents. *Res Q Exerc Sport* 1992, 63:341-348.
87. Greendorfer SL, Lewko JH. Role of family members in sport socialization of children. *Res Q Exerc Sport* 1978, 49:146-152.
88. Biddle SJH, Mutrie N: *Psychology of Physical Activity: Determinants, Well- Being and Interventions*. London: Routledge; 2001.
89. Biddle SJ, Fox KR. Motivation for physical activity and weight management. *Int J Obes Relat Metab Disord* 1998, 22 Suppl 2:S39-47.
90. Welk GJ. The youth physical activity promotion model: a conceptual bridge between theory and practice. *Quest* 1999, 51:5-23.
91. Riddoch CJ, Bo Andersen L, Wedderkopp N, Harro M, Klasson-Heggebo L, Sardinha LB, Cooper AR, Ekelund U. Physical activity levels and patterns of 9- and 15-year-old European children. *Med Sci Sports Exerc* 2004, 36:86-92.
92. Centers for Disease Control and Prevention CDC: *Active Youth: Ideas for Implementing CDC Physical Activity Promotion Guidelines*. Champaign, IL.: Human Kinetics; 1998.
93. Nilges L. Ingredients for a Gender EquiTable Physical Education Program. *Teaching Elementary Physical Education* 1996, 7:28-29.
94. Zabinski MF, Saelens BE, Stein RI, Hayden-Wade HA, Wilfley DE. Overweight children's barriers to and support for physical activity. *Obes Res* 2003, 11:238-246.
95. Stucky-Ropp RC, DiLorenzo TM. Determinants of exercise in children. *Prev Med* 1993, 22:880-889.
96. Brodersen NH, Steptoe A, Williamson S, Wardle J. Sociodemographic, developmental, environmental, and psychological correlates of physical activity and sedentary behavior at age 11 to 12. *Ann Behav Med* 2005, 29:2-11.
97. Melin A, Obert P, Bonnet P, Courteix D. [Effect of socioeconomic status on the physical activity of prepubertal children]. *Can J Appl Physiol* 2003, 28:190-203.
98. McMurray RG, Harrell JS, Deng S, Bradley CB, Cox LM, Bangdiwala SI. The influence of physical activity, socioeconomic status, and ethnicity on the weight status of adolescents. *Obes Res* 2000, 8:130-139.
99. van de Mheen H, Stronks K, Loosman CW, Mackenbach JP. Does childhood socioeconomic status influence adult health through behavioural factors? *Int J Epidemiol* 1998, 27:431-437.
100. Mur de Frenne L, Fleta Zaragozano J, Garagorri Otero JM, Moreno Aznar L, Bueno Sanchez M. [Physical activity and leisure time in children. I: Relation to socioeconomic status]. *An Esp Pediatr* 1997, 46:119-125.
101. Kumanyika S, Grier S. Targeting interventions for ethnic minority and low-income populations. *Future Child* 2006, 16:187-207.

102. Centers for Disease Control and Prevention CDC. Guidelines for school and community programs to promote lifelong physical activity among young people. Centers for Disease Control and Prevention. *MMWR Recomm Rep* 1997, 46:1-36.
103. National Association for Sport and Physical Education. Choosing the right sport and physical activity program for your child. Available at:  
[http://www.aahperd.org/naspe/pdf\\_files/pos\\_papers/resource-choosing.pdf](http://www.aahperd.org/naspe/pdf_files/pos_papers/resource-choosing.pdf). 1999.
104. Canada's Physical Activity Guides for Children and Youth. Available at:  
[http://www.phac-aspc.gc.ca/pau-uap/paguide/child\\_youth/index.html](http://www.phac-aspc.gc.ca/pau-uap/paguide/child_youth/index.html)
105. Mead BJ, Ignico AA. Children's gender-typed perceptions of physical activity: consequences and implications. *Percept Mot Skills* 1992, 75:1035-1042.
106. American Alliance for Health PE, Recreation and Dance (AAHPERD): *Physical Education for Lifelong Fitness: The Physical Best Teacher's Guide*. Champaign, IL.: Human Kinetics; 1999.
107. Faith MS, Leone MA, Ayers TS, Heo M, Pietrobelli A. Weight criticism during physical activity, coping skills, and reported physical activity in children. *Pediatrics* 2002, 110:e23.
108. Harris J, Elbourn J: *Teaching Health-Related Exercise at Key Stages 1 and 2*. Champaign, IL.: Human Kinetics; 1997.
109. American Heart Association. Alliance for a Healthier Generation. Available at:  
<http://healthiergeneration.org/kids/index.html> (English).
110. Centers for Disease Control and Prevention. Powerful bones, powerful girls. Available at: <http://www.cdc.gov/powerfulbones/> (English).
111. Centers for Disease Control and Prevention. VERB. Available at:  
<http://www.cdc.gov/youthcampaign/> (English and Spanish).
112. Centers for Disease Control and Prevention. BAM! Available at:  
<http://www.bam.gov/index.html> (English).
113. University of North Carolina at Chapel Hill. Get Kids in Action. Available at:  
<http://www.getkidsinaction.org/kids/#home> (English ).
114. Kids Health. Available at: <http://www.kidshealth.org/> (English and Spanish).
115. Kids Running. Available at: <http://www.kidzrunning.com/> (English).
116. Kidnetic. Available at: <http://www.kidnetic.com/> (English).
117. Doit Project. Available at: <http://www.doitproject.com/> (Dutch).
118. Take 10. Available at [www.take10.net](http://www.take10.net) (English).
119. Booth M, Okely A. Promoting physical activity among children and adolescents: the strengths and limitations of school-based approaches. *Health Promot J Austr* 2005, 16:52-54.

120. Sallis JF, McKenzie TL, Kolody B, Lewis M, Marshall S, Rosengard P. Effects of health-related physical education on academic achievement: project SPARK. *Res Q Exerc Sport* 1999, 70:127-134.
121. Lindner KJ. Sport participation and perceived academic performance of school children and youth. *Pediatric Exercise Science* 1999, 11:129-143.
122. Simons-Morton BG, O'Hara NM, Parcel GS, Huang IW, Baranowski T, Wilson B. Children's frequency of participation in moderate to vigorous physical activities. *Res Q Exerc Sport* 1990, 61:307-314.
123. Ross JG, Dotson CO, Gilbert GG, Katz SJ. After physical education...physical activity outside of school physical education programs. *J Physical Educ Rec Dance* 1985, 56:77-81.
124. Kerr NA, Yore MM, Ham SA, Dietz WH. Increasing stair use in a worksite through environmental changes. *Am J Health Promot* 2004, 18:312-315.
125. Godin G, Anderson D, Lambert LD, Desharnais R. Identifying factors associated with regular physical activity in leisure time among Canadian adolescents. *Am J Health Promot* 2005, 20:20-27.
126. Ritchie LD, Welk G, Styne D, Gerstein DE, Crawford PB. Family environment and pediatric overweight: what is a parent to do? *J Am Diet Assoc* 2005, 105:S70-79.
127. Gill TP, Rangan AM, Webb KL. The weight of evidence suggests that soft drinks are a major issue in childhood and adolescent obesity. *Med J Aust* 2006, 184:263-264.
128. James J, Kerr D. Prevention of childhood obesity by reducing soft drinks. *Int J Obes (Lond)* 2005, 29 Suppl 2:S54-57.
129. Bawa S. The role of the consumption of beverages in the obesity epidemic. *J R Soc Health* 2005, 125:124-128.